

Name:	Clinical Interests:
Jennifer Raymond	Health Equity and Disparities Obesity Telemedicine Social Determinants of Health (SDOH) Documented transition plans from Peds to Adults Patient Reported Outcomes Depression and Psychosocial Care
Alissa Roberts	Health Equity and Disparities COVID-19 Documented transition plans from peds to adults Patient Reported Outcomes Depression and Psychosocial Care Pregnancy and T1D
Kristina Cossen	Health Equity and Disparities Diagnosis and Screening Closed Loop and emerging technologies COVID-19 Social Determinants of Health (SDOH) GCM Use Achieving HbA1c targets Pump Use DKA Events Severe Hypoglycemia Patient Reported Outcomes Depression and Psychosocial Care
Emily Briedbart	Diagnosis and Screening Closed loop and emerging technologies Telemedicine Social Determinants of Health (SDOH) CGM Use Achieving HbA1c Target Pump Use DKA Events Time in Range Patient Reported Outcomes Depression and Psychosocial Care Diabetes Education Nutrition and Exercise
Carla Demeterco Berggren	Health Equity and Disparities Diagnosis and Screening Closed loop and emerging technologies Telemedicine Social Determinants of Health (SDOH)

	<p>CGM Use</p> <p>Achieving HbA1c Target</p> <p>Pump Use</p> <p>DKA Events</p> <p>Time in Range</p> <p>Patient Reported outcomes</p> <p>Depression and Psychosocial care</p>
Catherine Sullivan	<p>Health Equity and Disparities</p> <p>Closed loop and emerging technologies</p> <p>CGM Use</p> <p>Achieving HbA1c Target</p> <p>Pump Use</p> <p>Aging and Older Adult Care</p> <p>Pregnancy and T1D</p>
Elizabeth Mann	<p>Health Equity and Disparities</p> <p>Obesity</p> <p>Closed loop and emerging technologies</p> <p>Telemedicine</p> <p>Social Determinants of Health (SDOH)</p> <p>Achieving HbA1c Target</p> <p>Time in Range</p> <p>Patient Reported Outcomes</p> <p>Depression and Psychosocial Care</p> <p>Nutrition and Exercise</p>
Naomi Fogel	<p>Diagnosis and Screening</p> <p>Closed loop and emerging technologies</p> <p>Telemedicine</p> <p>CGM Use</p> <p>Achieving HbA1c Target</p> <p>Pump Use</p> <p>Documented transition plans from peds to adults</p> <p>Time in Range</p>
Francesco Vendrame	<p>Diagnosis and Screening</p> <p>Obesity</p> <p>Closed loop and emerging technologies</p> <p>Telemedicine</p> <p>CGM Use</p> <p>Pump Use</p> <p>Time in Range</p> <p>Severe Hypoglycemia</p> <p>Cardiovascular Disease</p> <p>Aging and Older Adult Care</p> <p>Pregnancy and T1D</p>
Jane Dickinson	<p>Social Determinants of Health (SDOH)</p>

	<p>Time in Range Patient Reported Outcomes Depression and Psychosocial Care Diabetes Education Person-Centered Care Diabetes Experience</p>
Laura Jacobsen	<p>Closed loop and emerging technologies Social determinants of Health (SDOH) Pump Use Documented transition plane from peds to adults</p>
Laura Levin	<p>Diagnosis and Screening Obesity Closed loop and emerging technologies CGM use Achieving HbA1c Target Pump use Documented transition plan from peds to adults Diabetes Education</p>
Mark Clements	<p>Health Equity and Disparities Diagnosis and Screening Closed loop and emerging technologies Telemedicine Social Determinants of Health (SDOH) CGM Use Achieving HbA1c Target Pump Use DKA Events Documented transition plans from peds to adults Time in Range Patient Reported Outcomes</p>
Shideh Majidi	<p>Health Equity and Disparities Telemedicine COVID-19 Social Determinants of Health (SDOH) DKA Events Documented transition plans from peds to adults Patient Reported Outcomes Depression and Psychosocial Care</p>
Grace Nelson	<p>Health Equity and Disparities Closed loop and emerging technologies Social Determinants of Health (SDOH) Achieving HbA1c Target</p>

	<p>Pump Use</p> <p>Patient Reported Outcomes</p>
Priya Prahalad	<p>Health Equity and Disparities</p> <p>Diagnosis and Screening</p> <p>Closed loop and emerging technologies</p> <p>Telemedicine</p> <p>COVID-19</p> <p>Social Determinants of Health (SDOH)</p> <p>CGM Use</p> <p>Achieving HbA1c Target</p> <p>Pump Use</p> <p>DKA Events</p> <p>Time in Range</p> <p>Severe Hypoglycemia</p>
Roberto Izquierdo	<p>Health Equity and Disparities</p> <p>Closed loop and emerging technologies</p> <p>Achieving HbA1c target</p> <p>Documented transition plan from peds to adults</p>
Sarah Lyons	<p>Health Equity and Disparities</p> <p>Diagnosis and Screening</p> <p>Obesity</p> <p>Closed loop and emerging technologies</p> <p>Telemedicine</p> <p>COVID-19</p> <p>Social Determinants of Health (SDOH)</p> <p>CGM Use</p> <p>Achieving HbA1c Target</p> <p>Pump Use</p> <p>DKA Events</p> <p>Documented transition plans from peds to adults</p> <p>Time in Range</p> <p>Severe Hypoglycemia</p> <p>Patient Reported Outcomes</p> <p>Depression and Psychosocial Care</p> <p>Diabetes Education</p> <p>Nutrition and Exercise</p>
Ruth Weinstock	<p>Health Equity and Disparities</p>

	<p>Diagnosis and Screening</p> <p>Closed loop and emerging technologies</p> <p>Telemedicine</p> <p>COVID-19</p> <p>Social Determinants of Health (SDOH)</p> <p>CGM Use</p> <p>Time in Range</p> <p>Patient Reported Outcomes</p> <p>Depression and Psychosocial Care</p> <p>Cardiovascular Disease</p> <p>Aging and Older Adult Care</p>
Jenise Wong	<p>Health Equities and Disparities</p> <p>Closed loop and emerging Technologies</p> <p>Telemedicine</p> <p>COVID-19</p> <p>Social Determinants of Health (SDOH)</p> <p>GCM use</p> <p>Achieving HbA1c target</p> <p>Pump Use</p> <p>Time in Range</p> <p>Patient Reported Outcomes</p>
Donna Eng	<p>GCM Use</p> <p>Pump Use</p> <p>Diabetes Education</p> <p>Closed loop and emerging technologies</p> <p>Documented transition plan from peds to adults</p>
Daniel DeSalvo	<p>Health Equity and Disparities</p> <p>Closed Loop and emerging technologies</p> <p>Telemedicine</p> <p>CGM use</p> <p>Achieving HbA1c targets</p> <p>Pump Use</p> <p>Time in Range</p> <p>Nutrition and Exercise</p>
Mary Pat Gallagher	<p>Health Equity and Disparities</p> <p>Diagnosis and Screening</p> <p>Obesity</p> <p>Closed Loop and Emergin Technologies</p> <p>Telemedicine</p> <p>COVID-19</p> <p>Social Determinants of Health (SDOH)</p> <p>CGM Use</p> <p>Achieving HbA1c Targets</p>

	<p>Pump Use DKA Events Documented transition Plan from Peds to Adults Time in Range Severe Hypoglycemia Patient Reported outcomes Depression and Psychosocial Care Cardiovascular Disease Diabetes Education Nutrition and Exercise</p>
Janine Sanchez	<p>Health Equity and Disparities Closed Loop and emerging technologies Telemedicine Social Determinants of Health (SDOH) CGM Use Achieving HbA1c Targets Pump Use Time in Range Depression and Psychosocial Care Diabetes Education</p>
Rona Sonabend	<p>Health Equity and Disparities Diagnosis and Screening Social Determinants of Health (SDOH) Achieving HbA1c Target DKA Events Patient Reported Outcomes Diabetes Education</p>
Cynthia Munoz	<p>Health Equity and Disparities Telemedicine Social Determinants of Health (SDOH) Patient Reported outcomes Depression and Psychosocial Care Diabetes Education</p>
Faisal Malik	<p>Health Equities and Disparities Closed loop and emerging technologies Telemedicine Achieving HbA1c Targets Documented transition plans from peds to adults Time in Range Patient Reported Outcomes Depression and psychosocial care Diabetes Education</p>

Daniel Brimberry	Diagnosis and Screening COVID-19 DKA Events Time in Range Severe Hypoglycemia Depression and psychosocial care Cardiovascular Disease
Ashley Garrity	Health Equity and Disparities Telemedicine Social Determinants of Health (SDOH) CGM Use Achieving HbA1c Target Pump use Documented transition plans from peds to adults Time in Range Patient Reported Outcomes Depression and psychosocial care Diabetes Education Nutrition and Exercise
Sarah Corathers	Health Equity and Disparities Closed Loop and emerging technologies Social Determinants of Health (SDOH) CGM Use Achieving HbA1c target Documented transition plan from peds to adult Time in Range Patient reported outcomes Depression and Psychosocial care International Comparisons
Susan Hsieh	Health Equity and Disparities Closed Loop and emerging technologies Telemedicine COVID-19 Social Determinants of Health (SDOH) CGM Use Achieving HbA1c target Pump Use DKA Events Documented transition plan from peds to adult Time in Range
Sonya Haw	Health Equity and Disparities Obesity Social Determinants of Health (SDOH)

	<p>CGM Use Achieving HbA1c target Pump Use DKA Events Depression and Psychosocial Care Cardiovascular Disease Diabetes Education Nutrition and Exercise</p>
Andrea Mucci	<p>Health Equity and Disparities Obesity GCM Use Pump Use Documented transition plans from peds to adults Depression and Psychosocial Care</p>
Grazia Aleppo	<p>Closed loop and emerging technologies CGM Use Documented transition plan from peds to adults Aging and Older Adult care</p>
Marina Basina	<p>Closed loop and emerging technologies Telemedicine Social Determinants of Health (SDOH) Severe Hypoglycemia Cardiovascular Disease Pregnancy and T1D</p>
Robert Rapaport	<p>Health Equity and Disparities Diagnosis and Screening COVID-19 DKA Events</p>
Alexis McKee	<p>Health Equity and Disparities Closed loop and emerging technologies Social Determinants of Health (SDOH) GCM Use Pump Use DKA events Time in Range Aging and older adult care Diabetes Education</p>
Ines Guttman Bauman	<p>Health Equity and Diagnosis Closed Loop and emerging technologies Social Determinants of Health (SDOH) CGM Use Documented transition plan from peds to adults Patients Reported outcomes</p>

	Depression and Psychosocial care
Andrew Ahmann	Health Equity and Diagnosis Diagnosis and Screening Obesity Closed Loop and technologies Telemedicine CGM use Documented transition plan from peds to adults Time in Range Aging and older adult care Diabetes Education
Carol Levy	Health Equities and Disparities Closed Loop and emerging technologies Telemedicine COVID-19 CGM Use Achieving HbA1 Target Pump Use Documented transition plan from peds to adults Time in Range Severe Hypoglycemia Patient Reported Outcomes Aging and Older Adult Care Pregnancy and T1D
Halis Akturk	Health Equity and Disparities Closed loop and emerging technologies GCM Use Achieving HbA1c target Pump Use DKA events Time in Range Severe Hypoglycemia Patient reported outcomes Aging and older adult care
Devin Steenkamp	Health Equity and Disparities Closed loop and emerging technologies Social Determinants of Health (SDOH) GCM Use Pump Use Time in Range Severe Hypoglycemia Patient Reported Outcomes Depression and Psychosocial Care

	<p>Nutrition and Exercise</p>
Anna Neyman	<p>Closed loop and emerging technologies GCM Use Achieving HbA1c target Pump Use DKA Events Time in Rang</p>
Jennifer Sarhis	<p>Social Determinants of Health (SDOH) GCM Use Depression and Psychosocial Care</p>
Siham Accacha	<p>Diagnosis and Screening Obesity Closed loop and emerging technologies Social Determinants of Health (SDOH) GCM Use Achieving HbA1c target Pump Use Documented Transition Plan from peds to adults Time in Range Severe Hypoglycemia Patient Reported outcomes Depression and Psychosocial care Diabetes Education Nutrition and Exercise</p>
Shivani Agarwal	<p>Health Equity and Disparities Closed loop and emerging technologies Social Determinants of eHealth (SDOH) GCM Use Achieving HbA1c Target Pump Use Documented transition plan from peds to adults Time in Range Patient Reported outcomes Depression and Psychosocial Care Cardiovascular Disease Young Adults with T1D Health Systems Interventions</p>
Todd Alonso	<p>Health Equity and Disparities Diagnosis and Screening Obesity Closed loop and emerging technologies Telemedicine</p>

	<p>GCM Use Achieving HbA1c Target Pump Use DKA Events Documented transition plan from peds to adults Time in range Severe Hypoglycemia Depression and Psychosocial Care Diabetes Education Nutrition and Exercise</p>
Haleigh James	<p>Obesity Closed loop and emerging technologies Telemedicine CGM Use Severe Hypoglycemia Nutrition and Exercise</p>