



T1D
Exchange

BPA-TECH Monthly Meeting
May 21, 2026

Agenda

- Welcome
- Review thematic analysis from centers (8/8)
- Publication Submission Updates/Co-authorship
- Next Steps/Questions

Thematic Analysis

Total Firings (All Centers)

| | Total | Avg/site |
|--|-------------|------------|
| All Centers | 1676 | 210 |
| Patient not interested - NOS | 350 | 44 |
| Patient declined - Needs more time/education | 303 | 38 |
| Patient not interested - satisfied with current management | 146 | 18 |
| Patient Not Appropriate - Newly diagnosed T1D | 123 | 15 |
| Patient Not Appropriate - Not Using CGM consistently | 102 | 13 |
| Patient declined - Undecided | 83 | 10 |
| Patient Not Appropriate - Adequate endogenous insulin production, honeymoon phase, LADA | 57 | 7 |
| Patient not interested in AID - No prior experience with AID - Aesthetics/visibility of device | 55 | 7 |
| Patient not interested in AID - No prior experience with AID - NOS | 54 | 7 |
| Patient Not Appropriate - Cognitive or developmental issues | 42 | 5 |

Total Firings (Pediatric Centers)

| | Total | Avg/site |
|--|-------------|------------|
| Pediatric Centers Top 10 | 1397 | 279 |
| Patient not interested - NOS | 321 | 64 |
| Patient declined - Needs more time/education | 269 | 54 |
| Patient Not Appropriate - Newly diagnosed T1D | 114 | 23 |
| Patient not interested - satisfied with current management | 110 | 22 |
| Patient Not Appropriate - Not Using CGM consistently | 98 | 20 |
| Patient declined - Undecided | 52 | 10 |
| Patient Not Appropriate - Adequate endogenous insulin production, honeymoon phase, LADA | 44 | 9 |
| Patient not interested in AID - No prior experience with AID - Aesthetics/visibility of device | 43 | 9 |
| Patient not interested in AID - No prior experience with AID - Perceived burden (e.g. carb counting) | 34 | 7 |
| Patient not interested in AID - No prior experience with AID - NOS | 31 | 6 |


Total Firings (Adult Centers)

| | Total | Avg/site |
|--|------------|-----------|
| Adult Centers Top 10 | 279 | 93 |
| Patient not interested - satisfied with current management | 36 | 12 |
| Patient declined - Needs more time/education | 34 | 11 |
| Patient declined - Undecided | 31 | 10 |
| Patient not interested - NOS | 29 | 10 |
| Patient not interested in AID - No prior experience with AID - NOS | 23 | 8 |
| Patient Not Appropriate - Cognitive or developmental issues | 14 | 5 |
| Patient Not Appropriate - Adequate endogenous insulin production, honeymoon phase, LADA | 13 | 4 |
| Patient not interested in AID - No prior experience with AID - Aesthetics/visibility of device | 12 | 4 |
| Patient Not Appropriate - Unable to safely use AID | 9 | 3 |
| Patient Not Appropriate - Newly diagnosed T1D | 9 | 3 |




Top 10 Reasons


Pediatric Centers




Adult Centers



Combined Adult and Pediatric Centers




Hassenfeld Pediatrics (Top 10 Reasons)




JHU Pediatrics (Top 10 Reasons)

JHU Pediatrics




Nationwide Children's Pediatrics (Top 10 Reasons)




Seattle Children's Hospital (Top 10 Reasons)

Seattle Children's




UTSW Pediatrics (Top 10 Reasons)




Grady Memorial (Top 10 Reasons)

Grady Memorial




JHU Adults (Top 10 Reasons)



SUNY Adult (Top 10 Reasons)

SUNY Adult



Patient Not Appropriate: Reasons Given Peds

| | |
|---|------------|
| Pediatrics - Patient not appropriate (Total) | 441 |
| Patient Not Appropriate - Newly diagnosed T1D | 123 |
| Patient Not Appropriate - Not Using CGM consistently | 102 |
| Patient Not Appropriate - Adequate endogenous insulin production, honeymoon phase, LADA | 57 |
| Patient Not Appropriate - Cognitive or developmental issues | 42 |
| Patient Not Appropriate - Low engagement in care | 24 |
| Patient Not Appropriate - Disease management concerns (complexity of medical illnesses) | 17 |
| Patient Not Appropriate - NOS | 15 |
| Patient Not Appropriate - Unable to safely use AID | 10 |
| Patient Not Appropriate - New patient to provider | 10 |
| Patient Not Appropriate - Acute/competing priorities or social challenges | 9 |
| Patient Not Appropriate - Needs more education | 8 |
| Patient Not Appropriate - Unclear diagnosis | 7 |
| Patient Not Appropriate - Technical limitation (smartphone capability) | 7 |
| Patient Not Appropriate - Insufficient time during visit | 4 |
| Patient Not Appropriate - Previous Challenges with CGM | 3 |
| Patient Not Appropriate - Needs more education | 1 |
| Patient Not Appropriate - Inadequate resources/staff | 1 |
| Patient Not Appropriate - Previous Challenges with AID | 1 |

Patient Not Appropriate: Reasons Given Adult

| | |
|---|----|
| Adult - Patient not appropriate (Total) | 70 |
| Patient Not Appropriate - Cognitive or developmental issues | 14 |
| Patient Not Appropriate - Adequate endogenous insulin production, honeymoon phase, LADA | 13 |
| Patient Not Appropriate - Unable to safely use AID | 9 |
| Patient Not Appropriate - Newly diagnosed T1D | 9 |
| Patient Not Appropriate - Disease management concerns (complexity of medical illnesses) | 7 |
| Patient Not Appropriate - NOS | 4 |
| Patient Not Appropriate - Not Using CGM consistently | 4 |
| Patient Not Appropriate - Needs more education | 3 |
| Patient Not Appropriate - Technical limitation (smartphone capability) | 3 |
| Patient Not Appropriate - Low engagement in care | 2 |
| Patient Not Appropriate - Unclear diagnosis | 2 |

Patient Declined – Reasons Provided

| | |
|---|------------|
| Adult | 67 |
| 2.1 Patient declined - Needs more time/education | 34 |
| 2.2 Patient declined - Undecided | 31 |
| 2.4.1 Patient declined/not ready - Legal guardian/caregiver not available | 2 |
| Pediatric | 322 |
| 2.1 Patient declined - Needs more time/education | 269 |
| 2.2 Patient declined - Undecided | 52 |
| 2.4.1 Patient declined/not ready - Legal guardian/caregiver not available | 1 |



Next Publication Meeting

Next Publication Meeting

- June 17, 2026 4:00pm EST



T1D

Exchange

